

PROGRAM NEWS 2018

SCHEDER MULTISTAR® VISION^{PLUS}

High quality surfaces for shower and wall



elements are made of High Density Polystyrene



wheelchair accessible



factory waterproofed systems



meets the requirements of the waterproofing standard DIN 18534-1, water impact class W2-I



substructure elements for height adjustment on installation site



cuttable with respect to geometry of the elements



easy clean



anti-slip surface as per DIN 51097, Group B



panel thickness



installation by assembly team possible



sound insulation for increased requirements



sound insulation system meets the sound insulation requirements of DIN VDI 4100

Inhalt

MULTISTAR® PLAN ^{PLUS}	6
MULTISTAR® PLAN ^{PLUS} QUADRATO	8
MULTISTAR® PLAN ^{PLUS} ROUND	10
Substructure element system quadroU, one-piece for PLAN ^{PLUS} series	12
Substructure element system quadroU, three-piece for PLAN ^{PLUS} series	13
MULTISTAR® SILENCIO sound insulation with quadroU	15
MULTISTAR® LINEPLUS PURE, one-sided slope	18
MULTISTAR® LINEPLUS PURE, four-sided slope	20
MULTISTAR® LINE ^{PLUS} ACCENT	22
Upstand and chamfer for PLAN ^{PLUS} and LINE ^{PLUS}	24
PLUSbox, frame-free	28
PLUSbox with frame	29
MULTISTAR® VISION ^{PLUS} surfaces made of glass laminate	31
Territory map field service Germany	34
Contact persons for internal and external services Germany	35

MULTISTAR® PLAN^{PLUS}

FLOOR-LEVEL SHOWER ELEMENTS WITH JOINT-FREE SURFACE MADE OF SOLID SURFACE MATERIAL



PLAN^{PLUS} PURE ELEGANCE

The design of the new SCHEDEL MULTISTAR PLAN^{PLUS} shower boards is deliberately puristic. The semi-gloss solid surface material underlines this simple elegance. The basic shapes are rectangular and square with a round design tray for the product PLAN^{PLUS} ROUND or a square tray for PLAN^{PLUS} QUADRATO also made of solid surface material.


+ SCHEDEL PLUS - PRODUCT ADVANTAGES

- System concept: high-quality surface made of 6 mm solid surface material applied to High Density Polyurethane (HDPE) foam element with integrated slope
- Surface in solid surface material available in eight colours
- Anti-slip as per DIN 51097, Group B
- Basic shapes rectangular and square, special shape available on request
- As per DIN 18534-1, waterproofed in accordance with the standard with all-round overhang of 70 mm on all sides for professional waterproofing to the wall or to the adjacent components, water impact class W2-1

- Height adjustment using various sub-elements - quadroU
- Substructure expandable for sound insulation for increased requirement

DRAIN POSITIONS:

rectangular
middle/230



square
230/230



DRAIN VARIANTS:



PLAN^{PLUS}
with standardised drain
opening for all common
drains



PLAN^{PLUS} QUADRATO
with tray of solid surface
material, incl. horizontal
floor drain



PLAN^{PLUS} ROUND
with tray of solid surface
material, incl. horizontal
floor drain

SPECIAL DESIGN

- Individual cuts and free forming are possible on request


Cleverly solved:
clean finish without joint

OPTIONAL
please refer to Page

WITH UPSTAND/
CHAMFER



Protects against
wetness





joint-free
Finish

+49 (0)3745/ 745-0
For service and support,
turn to the SCHEDEL
team.

More information about the
products can be found at:
[schedel-badinnovation.de/
produkte-badgestaltung](http://schedel-badinnovation.de/produkte-badgestaltung)

Drain opening 90 mm, suitable for all standard shower drains (not included in delivery)





Dimensions in mm

	Length	Width	Height including solid surface material	Position Drain	Item number*
	800	800	40	230/230	PP8080XXX
	900	900	40	230/230	PP9090XXX
	1000	1000	45	230/230	PP100100XXX
	1200	1200	45	230/230	PP120120XXX
	1000	800	40	500/230	PP10080XXX
	1000	900	40	500/230	PP10090XXX
	1100	900	40	550/230	PP11090XXX
	1200	800	40	600/230	PP12080XXX
	1200	900	40	600/230	PP12090XXX
	1200	1000	40	600/230	PP120100XXX
	1300	900	45	650/230	PP13090XXX
	1300	1000	45	650/230	PP130100XXX
	1400	800	45	700/230	PP14080XXX
	1400	900	45	700/230	PP14090XXX
	1400	1000	45	700/230	PP140100XXX
	1400	1200	45	700/230	PP140120XXX
	1500	900	45	750/230	PP15090XXX
	1500	1000	45	750/230	PP150100XXX
	1500	1200	45	750/230	PP150120XXX
	1600	900	45	800/230	PP16090XXX
	1600	1000	45	800/230	PP160100XXX
	1600	1200	45	800/230	PP160120XXX

Special design


up to 1.00 m ²	PP100SXXX
up to 1.20 m ²	PP120SXXX
up to 1.45 m ²	PP145SXXX
up to 1.80 m ²	PP180SXXX
up to 2.25 m ²	PP225SXXX





Download PDF
Installation
instructions
EBA40502

Subject to technical changes!
Updated 3/2018 Drawings not to scale


* xxx = Surface (e.g. PP12080008 = PLAN^{PLUS} 1200 x 800 mm in LIGHT GREY)



Square design tray made of solid surface material



Horizontal drain DN 50
Item No. PP 32102
Drainage capacity 27 l/min
(included in delivery)



Installation height with factory-bonded solid surface material


Dimensions in mm

	Length	Width	Height	Installation height with factory-bonded solid surface material		Position Drain	Item number*
				with PP 32104	with PP 32102		
	800	800	40	105	120	230/230	PP8080QXXX
	900	900	45	110	125	230/230	PP9090QXXX
	1000	1000	45	110	125	230/230	PP100100QXXX
	1200	1200	50	115	130	230/230	PP120120QXXX
	1000	800	40	105	120	500/230	PP10080QXXX
	1000	900	40	105	120	500/230	PP10090QXXX
	1100	900	45	110	125	550/230	PP11090QXXX
	1200	800	40	105	120	600/230	PP12080QXXX
	1200	900	45	110	125	600/230	PP12090QXXX
	1200	1000	45	110	125	600/230	PP120100QXXX
	1300	900	45	110	125	650/230	PP13090QXXX
	1300	1000	45	110	125	650/230	PP130100QXXX
	1400	800	45	110	125	700/230	PP14080QXXX
	1400	900	45	110	125	700/230	PP14090QXXX
	1400	1000	45	110	125	700/230	PP140100QXXX
	1400	1200	50	115	130	700/230	PP140120QXXX
	1500	800	45	110	125	750/230	PP15080QXXX
	1500	900	45	110	125	750/230	PP15090QXXX
	1500	1000	45	110	125	750/230	PP150100QXXX
	1500	1200	50	115	130	750/230	PP150120QXXX
	1600	800	45	110	125	800/230	PP16080QXXX
	1600	900	45	110	125	800/230	PP16090QXXX
	1600	1000	45	110	125	800/230	PP160100QXXX
	1600	1200	50	115	130	800/230	PP160120QXXX
	1700	800	45	110	125	850/230	PP17080QXXX
	1700	900	45	110	125	850/230	PP17090QXXX
	1700	1000	45	110	125	850/230	PP170100QXXX
	1800	800	45	110	125	900/230	PP18080QXXX
	1800	900	45	110	125	900/230	PP18090QXXX
	1800	1000	45	110	125	900/230	PP180100QXXX

Special design


up to 1.00 m ²	PP100QSXXX
up to 1.20 m ²	PP120QSXXX
up to 1.45 m ²	PP145QSXXX
up to 1.80 m ²	PP180QSXXX
up to 2.25 m ²	PP225QSXXX

Floor drains, optional




Horizontal drain DN 50
Drainage capacity 27 l/min

Included in delivery




Horizontal drain DN 40
Drainage capacity 25.2 l/min

OPTIONAL
please specify when ordering
(horizontal drain DN50 not included)



Vertical drain DN 50
Drainage capacity 30.6 l/min

OPTIONAL
please specify when ordering
(horizontal drain DN50 not included)



Download PDF
Installation
instructions
EBA40506

Subject to technical changes!
Updated 4/2018 Drawings not to scale

* xxx = Surface (e.g. PP12080Q008 = PLAN^{PLUS} QUADRATO 1200 x 800 mm in LIGHT GREY)

BIANCO WHITE = 001

CARAMEL = 003

GRAPHITE = 005

DARK GREY = 007

CREAM = 002



DARK BROWN = 004

LIGHT GRAPHITE = 006


LIGHT GREY = 008

MULTISTAR® PLAN^{PLUS} ROUND

Round design tray made of solid surface material



Horizontal drain DN 50
Item No. PP 32102
Drainage capacity 27 l/min
(included in delivery)




				Installation height with factory-bonded solid surface material		Dimensions in mm	
	Length	Width	Height	with PP 32104	with PP 32102	Position Drain	Item number*
	800	800	40	105	120	230/230	PP8080RXXX
	900	900	45	110	125	230/230	PP9090RXXX
	1000	1000	45	110	125	230/230	PP100100RXXX
	1200	1200	50	115	130	230/230	PP120120RXXX
	1000	800	40	105	120	500/230	PP10080RXXX
	1000	900	40	105	120	500/230	PP10090RXXX
	1100	900	45	110	125	550/230	PP11090RXXX
	1200	800	40	105	120	600/230	PP12080RXXX
	1200	900	45	110	125	600/230	PP12090RXXX
	1200	1000	45	110	125	600/230	PP120100RXXX
	1300	900	45	110	125	650/230	PP13090RXXX
	1300	1000	45	110	125	650/230	PP130100RXXX
	1400	800	45	110	125	700/230	PP14080RXXX
	1400	900	45	110	125	700/230	PP14090RXXX
	1400	1000	45	110	125	700/230	PP140100RXXX
	1400	1200	50	115	130	700/230	PP140120RXXX
	1500	800	45	110	125	750/230	PP15080RXXX
	1500	900	45	110	125	750/230	PP15090RXXX
	1500	1000	45	110	125	750/230	PP150100RXXX
	1500	1200	50	115	130	750/230	PP150120RXXX
	1600	800	45	110	125	800/230	PP16080RXXX
	1600	900	45	110	125	800/230	PP16090RXXX
	1600	1000	45	110	125	800/230	PP160100RXXX
	1600	1200	50	115	130	800/230	PP160120RXXX
	1700	800	45	110	125	850/230	PP17080RXXX
	1700	900	45	110	125	850/230	PP17090RXXX
	1700	1000	45	110	125	850/230	PP170100RXXX
	1800	800	45	110	125	900/230	PP18080RXXX
	1800	900	45	110	125	900/230	PP18090RXXX
	1800	1000	45	110	125	900/230	PP180100RXXX

Special design


up to 1.00 m ²	PP100RSXXX
up to 1.20 m ²	PP120RSXXX
up to 1.45 m ²	PP145RSXXX
up to 1.80 m ²	PP180RSXXX
up to 2.25 m ²	PP225RSXXX

Floor drains, optional




Horizontal drain DN 50
Drainage capacity 27 l/min

included in delivery





Horizontal drain DN 40
Drainage capacity 25.2 l/min

OPTIONAL
please specify when ordering
(horizontal drain DN50 is not included)



Vertical drain DN 50
Drainage capacity 30.6 l/min

OPTIONAL
please specify when ordering
(horizontal drain DN50 not included)



Download PDF
Installation
instructions
EBA40506

Subject to technical changes!
Updated 4/2018 Drawings not to scale

* xxx = Surface (e.g. PP12080R008 = PLAN^{PLUS} ROUND 1200 x 800 mm in LIGHT GREY)

BIANCO WHITE = 001

CARAMEL = 003

GRAPHITE = 005

DARK GREY = 007



CREAM = 002

DARK BROWN = 004

LIGHT GRAPHITE = 006

LIGHT GREY = 008

Substructure element system quadroU, one-piece for PLAN^{PLUS} series

					Dimensions in mm	
					Position Drain	Item number
	Length	Width	Height			
	800	800	80	incl. 1 x assembly adhesive	230/230	QUADROU8080
	900	900	80	incl. 1 x assembly adhesive	230/230	QUADROU9090
	1000	1000	80	incl. 1 x assembly adhesive	230/230	QUADROU100100
	1200	1200	80	incl. 2 x assembly adhesive	230/230	QUADROU120120
	1000	800	80	incl. 1 x assembly adhesive	500/230	QUADROU10080
	1000	900	80	incl. 1 x assembly adhesive	500/230	QUADROU10090
	1100	900	80	incl. 1 x assembly adhesive	550/230	QUADROU11090
	1200	800	80	incl. 1 x assembly adhesive	600/230	QUADROU12080
	1200	900	80	incl. 2 x assembly adhesive	600/230	QUADROU12090
	1200	1000	80	incl. 2 x assembly adhesive	600/230	QUADROU120100
	1300	900	80	incl. 2 x assembly adhesive	650/230	QUADROU13090
	1300	1000	80	incl. 2 x assembly adhesive	650/230	QUADROU130100
	1400	800	80	incl. 2 x assembly adhesive	700/230	QUADROU14080
	1400	900	80	incl. 2 x assembly adhesive	700/230	QUADROU14090
	1400	1000	80	incl. 2 x assembly adhesive	700/230	QUADROU140100
	1400	1200	80	incl. 2 x assembly adhesive	700/230	QUADROU140120
	1500	900	80	incl. 2 x assembly adhesive	750/230	QUADROU15090
	1500	1000	80	incl. 2 x assembly adhesive	750/230	QUADROU150100
	1500	1200	80	incl. 2 x assembly adhesive	750/230	QUADROU150120
	1600	900	80	incl. 2 x assembly adhesive	800/230	QUADROU16090
1600	1000	80	incl. 2 x assembly adhesive	800/230	QUADROU160100	
1600	1200	80	incl. 2 x assembly adhesive	800/230	QUADROU160120	

Special design

up to 1.00 m ²	incl. set of 6 adjustable feet	incl. 1 x assembly adhesive	QUADROU100S
up to 1.20 m ²	incl. set of 6 adjustable feet	incl. 2 x assembly adhesive	QUADROU120S
up to 1.45 m ²	incl. set of 6 adjustable feet	incl. 2 x assembly adhesive	QUADROU145S
up to 1.80 m ²	incl. set of 6 adjustable feet	incl. 2 x assembly adhesive	QUADROU180S
up to 2.25 m ²	incl. set of 6 adjustable feet	incl. 2 x assembly adhesive	QUADROU225S

Assembly accessories

MULTISTAR® 2K mounting foam*
(12x 400 ml cartridges in each box)


SH 30070

Assembly adhesive*
310 ml cartridge

SH 32350

* Note! Please observe the shelf life (separate information on the packaging).
Installation materials are generally excluded from returns.

Substructure element system quadroU, three-piece for PLAN^{PLUS} series

						Dimensions in mm	
						Length	Width
						Height	Position Drain
						Item number	
	900	900	20/30/40	incl. 3 x assembly adhesive	without	QUADROU39090	
	1000	1000	20/30/40	incl. 3 x assembly adhesive	without	QUADROU3100100	
	1200	1200	20/30/40	incl. 5 x assembly adhesive	without	QUADROU3120120	
	1500	1500	20/30/40	incl. 6 x assembly adhesive	without	QUADROU3150150	

Assembly accessories

MULTISTAR® 2K mounting foam*
(12x 400 ml cartridges in each box)

SH 30070

Assembly adhesive*
310 ml cartridge

SH 32350

* Note! Please observe the shelf life (separate information on the packaging).
Installation materials are generally excluded from returns.

MULTISTAR® SiLENCIO with quadroU

INCREASED SOUND INSULATION FOR FLOOR-LEVEL SHOWERS OF THE PLAN^{PLUS} SERIES





Substructure quadroU expandable for sound insulation for increased requirements new protected system

An additional guarantee for rapid installation is the innovative and inventive quadroU substructure system. The height compensation HDPE-foam element saves up to 50% of assembly time compared to traditional installation methods. Levelling feet allow rapid adaptation to the height conditions on site up to 15 mm. Assembly is quick and easy using mounting foam and assembly adhesive. If a packed bed and a granulate mat is placed in the quadroU and a PE waterproofing membrane is laid, the system meets the increased sound insulation requirements as per DIN 4109.

+ SCHEDEL PLUS - PRODUCT ADVANTAGES

- Rapid assembly due to quadroU substructure
- High quality High Density Polyurethane (HDPE) foam element
- Increased sound insulation as per P-BA 326/2017, sound insulation report as per DIN 4109, VDI 4100 and Austrian Standard B 8115-2-2006
- Flexible height compensation



Our mounting film at:
[schedel-badinnovation.de/
 mounting-sound insulation](https://schedel-badinnovation.de/mounting-sound-insulation)
 or simply scan the QR code



+49 (0)3745/ 745-0
 For service and support please turn to the SCHEDEL team.

More information about the products can be found at:
[schedel-badinnovation.de/
 produkte-badgestaltung](https://schedel-badinnovation.de/produkte-badgestaltung)

MULTISTAR® SiLENCIO sound insulation with quadroU

for PLAN^{PLUS}, PLAN^{PLUS} ROUND and PLAN^{PLUS} QUADRATO

More demanding requirements

as per DIN 4109 / VDI 4100 for rooms requiring protection $L_{in} \leq 25 \text{ dB(A)}/L_{in} \leq 24 \text{ dB(A)}$ measured with KGN

Consisting of

- quadroU, 80 mm
- Set of 6 adjustable feet
- Geomembrane-laminated PE waterproof sheeting and rubber granulate mat, 7 mm
- Dry packed bed for soundproofing plate (please order separately)

Download PDF
Installation instructions
EBA40505



	Length	Width	Drain position	Dimensions in mm
				Item number
	800	800	230/230	SILPP8080
	900	900	230/230	SILPP9090
	1000	1000	230/230	SILPP100100
	1200	1200	230/230	SILPP120120
Special design				
	Up to	1.00 m ²		SILPP100S
	Up to	1.20 m ²		SILPP120S
	Up to	1.45 m ²		SILPP145S
	Up to	2.25 m ²		SILPP225S

Accessories

	Item number
	Dry packed bed for sound insulation panel for SiLENCIO sound insulation system for PLAN ^{PLUS} series (Fermacell honeycomb filling 1-4 mm / Fermacell-Art.-No. 0078013) Sack at 15 l/22.5 kg
Consumption by element 800 x 800	39.94 kg / 2 sacks
Consumption by element 900 x 900	50.55 kg / 3 sacks
Consumption by element 1000 x 1000	62.40 kg / 3 sacks
Consumption by element 1200 x 1200	89.86 kg / 4 sacks
	SILENCIOWS

MULTISTAR® LINE^{PLUS}

FLOOR-LEVEL SHOWER ELEMENTS WITH JOINT-FREE SURFACE MADE OF SOLID SURFACE MATERIAL



LINE^{PLUS} ACCENT



LINE^{PLUS} PURE



LINE^{PLUS} STRONG GUTTER

The new shower boards of the SCHEDEL MULTISTAR® LINE^{PLUS} series create a strong impression. The look is distinguished by the accentuated design tray made of stainless steel in LINE^{PLUS} ACCENT, which blends harmoniously into the semi-matt solid surface material. The LINE^{PLUS} PURE systems are available with inserts made completely from solid surface material. LINE^{PLUS} is available in various sizes as a rectangular and square variant in eight contemporary trend colours.

+ SCHEDEL PLUSES – PRODUCT ADVANTAGES

- System concept: high-quality surface made of 6 mm solid surface material applied to High Density Polyurethane (HDPE) foam element with integrated slope
- Surface in solid surface material available in eight colours
- Anti-slip as per DIN 51097, Group B
- Basic shapes rectangular and square, special shape available on request
- As per DIN 18534-1, waterproofed in accordance with the standard with all-round overhang of 70 mm on all sides for professional waterproofing to the wall or

to the adjacent components, water impact class W2-1

- Integrated, waterproofed gutter with floor drain DN40 or DN50
- Height adjustment by means of an accurate substructure – quadroU, 65 or 80 mm high
- Substructure quadroU expandable for sound insulation for increased requirement

SLOPE OPTIONS:

one-sided
LINE PURE



four-sided
LINE ACCENT and PURE




GUTTER VARIANTS:

LINE ACCENT with stainless steel gutter



LINE PURE with gutter made of solid surface material



SPECIAL DESIGN

- Individual cuts and free forming are possible on request

cleverly solved:
clean finish without joint

OPTIONAL


please refer to PagePage 24

WITH UPSTAND/
CHAMFER



solid surface
slope wedge

joint-free upstand of solid surface material



easy
cleaning

joint-free chamfer of solid surface material

+49 (0)3745/ 745-0
For service and support,
turn to the SCHEDEL team.


More information about the
products can be found at:
[schedel-badinnovation.de/
produkte-badgestaltung](http://schedel-badinnovation.de/produkte-badgestaltung)

MULTISTAR® LINE^{PLUS} PURE, one-sided slope

System consisting of:

- Slope element with factory-bonded surface made of solid surface material
- Gutter cover of solid surface material
- quadroU substructure element
- Floor horizontal drain

cuttable!



Length A Installation of gutter	Width B	Installation height with vertical drain	Dimension C Gutter length	LINE ^{PLUS} PURE 35 Drain sealing water height 35 mm		LINE ^{PLUS} PURE 50 Drain sealing water height 50 mm	
				Installation height	Item number**	Installation height	Item number**
800	1,200	55	700	120	LP80120E35XXX	135	LP80120E50XXX
900	900	50	800	115	LP9090E35XXX	130	LP9090E50XXX
900	1,000	55	800	120	LP90100E35XXX	135	LP90100E50XXX
900	1,100	55	800	120	LP90110E35XXX	135	LP90110E50XXX
900	1,200	55	800	120	LP90120E35XXX	135	LP90120E50XXX
900	1,300	60	800	125	LP90130E35XXX	140	LP90130E50XXX
900	1,400	60	800	125	LP90140E35XXX	140	LP90140E50XXX
900	1,500	65	800	130	LP90150E35XXX	145	LP90150E50XXX
900	1,600	65	800	130	LP90160E35XXX	145	LP90160E50XXX
900	1,700	65	800	130	LP90170E35XXX	145	LP90170E50XXX
900	1,800	70	800	135	LP90180E35XXX	150	LP90180E50XXX
1,000	1,000	55	900	120	LP100100E35XXX	135	LP100100E50XXX
1,000	1,200	55	900	120	LP100120E35XXX	135	LP100120E50XXX
1,000	1,300	60	900	125	LP100130E35XXX	140	LP100130E50XXX
1,000	1,400	60	900	125	LP100140E35XXX	140	LP100140E50XXX
1,000	1,500	65	900	130	LP100150E35XXX	145	LP100150E50XXX
1,000	1,800	70	900	135	LP100180E35XXX	150	LP100180E50XXX
1,200	1,000	55	1100	120	LP120100E35XXX	135	LP120100E50XXX
1,200	1,100	55	1100	120	LP120110E35XXX	135	LP120110E50XXX
1,200	1,200	55	1100	120	LP120120E35XXX	135	LP120120E50XXX
1,200	1,300	60	1100	125	LP120130E35XXX	140	LP120130E50XXX
1,200	1,400	60	1100	125	LP120140E35XXX	140	LP120140E50XXX

Special design

up to 1.00 m ²	LP100E35S0XXX	LP100E50S0XXX
up to 1.20 m ²	LP120E35S0XXX	LP120E50S0XXX
up to 1.45 m ²	LP145E35S0XXX	LP145E50S0XXX
up to 1.80 m ²	LP180E35S0XXX	LP180E50S0XXX
up to 2.25 m ²	LP225E35S0XXX	LP225E50S0XXX

Assembly accessories

MULTISTAR® 2K mounting foam*
(12x 400 ml cartridges in each box)


SH 30070

Assembly adhesive*
310 ml cartridge

SH 32350


* Note! Please observe the shelf life (separate information on the packaging).
Installation materials are generally excluded from returns.

Floor drains




Horizontal drain as per DIN 274
Sealing water height 50 mm
Drainage capacity 70 l/min

Included in
LINE^{PLUS} PURE 50
delivery




Horizontal drain
Sealing water height 35 mm
Drainage capacity 55 l/min

Included in
LINE^{PLUS} PURE 35
delivery




Vertical drain as per DIN 274
Sealing water height 50 mm
Drainage capacity 125 l/min
Core drill hole Ø 130 mm

optional
please specify when ordering!
(horizontal drain not included)



Download PDF
Installation instructions
EBA40508

Subject to technical changes!
Updated 4/2018 Drawings not to scale



** xxx = Surface (eg LP80120E50**008** = LINE^{PLUS} PURE 50, slope on one side 800 x 1200 mm in LIGHT GREY)

BIANCO WHITE = 001

CARAMEL = 003

GRAPHITE = 005

DARK GREY = 007

CREAM = 002

DARK BROWN = 004

LIGHT GRAPHITE = 006



LIGHT GREY = 008

MULTISTAR® LINE^{PLUS} PURE, four-sided slope

Included:

- Slope element with factory-bonded surface made of solid surface material
- Gutter cover of solid surface material
- quadroU substructure element
- Floor horizontal drain

cuttable!



Length A Installation of gutter	Width B	Installation height with vertical drain	Dimension C Gutter length	LINE ^{PLUS} PURE 35 Drain sealing water height 35 mm		LINE ^{PLUS} PURE 50 Drain sealing water height 50 mm	
				Installation height	Item number**	Installation height	Item number**
800	1,200	55	400	120	LP480120E35XXX	135	LP480120E50XXX
900	900	50	500	115	LP49090E35XXX	130	LP49090E50XXX
900	1,000	50	500	115	LP490100E35XXX	130	LP490100E50XXX
900	1,100	50	500	115	LP490110E35XXX	130	LP490110E50XXX
900	1,200	55	500	120	LP490120E35XXX	135	LP490120E50XXX
900	1,300	55	500	120	LP490130E35XXX	135	LP490130E50XXX
900	1,400	60	500	125	LP490140E35XXX	140	LP490140E50XXX
900	1,500	60	500	125	LP490150E35XXX	140	LP490150E50XXX
900	1,600	60	500	125	LP490160E35XXX	140	LP490160E50XXX
900	1,700	65	500	130	LP490170E35XXX	145	LP490170E50XXX
900	1,800	65	500	130	LP490180E35XXX	145	LP490180E50XXX
1,000	1,000	50	600	115	LP4100100E35XXX	130	LP4100100E50XXX
1,000	1,200	55	600	120	LP4100120E35XXX	135	LP4100120E50XXX
1,000	1,300	55	600	120	LP4100130E35XXX	135	LP4100130E50XXX
1,000	1,400	60	600	125	LP4100140E35XXX	140	LP4100140E50XXX
1,000	1,500	60	600	125	LP4100150E35XXX	140	LP4100150E50XXX
1,000	1,800	65	600	130	LP4100180E35XXX	145	LP4100180E50XXX
1,200	1,000	50	800	115	LP4120100E35XXX	130	LP4120100E50XXX
1,200	1,100	50	800	115	LP4120110E35XXX	130	LP4120110E50XXX
1,200	1,200	55	800	120	LP4120120E35XXX	135	LP4120120E50XXX
1,200	1,300	55	800	120	LP4120130E35XXX	135	LP4120130E50XXX
1,200	1,400	60	800	125	LP4120140E35XXX	140	LP4120140E50XXX

Special design

up to 1.00 m ²	LP4100E35S0XXX	LP4100E50S0XXX
up to 1.20 m ²	LP4120E35S0XXX	LP4120E50S0XXX
up to 1.45 m ²	LP4145E35S0XXX	LP4145E50S0XXX
up to 1.80 m ²	LP4180E35S0XXX	LP4180E50S0XXX
up to 2.25 m ²	LP4225E35S0XXX	LP4225E50S0XXX

Assembly accessories

MULTISTAR® 2K mounting foam*
(12x 400 ml cartridges in each box)


SH 30070

Assembly adhesive*
310 ml cartridge

SH 32350


* Note! Please observe the shelf life (separate information on the packaging).
Installation materials are generally excluded from returns.

Floor drains




Horizontal drain as per DIN 274
Sealing water height 50 mm
Drainage capacity 70 l/min

Included in
LINE^{PLUS} PURE 50
delivery



Horizontal drain
Sealing water height 35 mm
Drainage capacity 55 l/min

Included in
LINE^{PLUS} PURE 35
delivery




Vertical drain as per DIN 274
Sealing water height 50 mm
Drainage capacity 125 l/min
Core drill hole Ø 130 mm

optional
please specify when ordering!
(horizontal drain not included)



Download PDF
Installation instructions
EBA40508

Subject to technical changes!
Updated 4/2018 Drawings not to scale



** xxx = Surface (e.g. LP480120E50008 = LINE^{PLUS} PURE 50, slope on one side 800 x 1200 mm in LIGHT GREY)

BIANCO WHITE = 001

CARAMEL = 003

GRAPHITE = 005

DARK GREY = 007

CREAM = 002

DARK BROWN = 004

LIGHT GRAPHITE = 006


LIGHT GREY = 008

MULTISTAR® LINE^{PLUS} ACCENT

System consisting of:

- Slope element with factory-bonded surface made of solid surface material
- Gutter cover made of stainless steel
- quadroU substructure element
- Floor horizontal drain

cuttable!



Length A Installation of gutter	Width B	Installation height with Vertical drain	LINE ^{PLUS} ACCENT 35 Drain sealing water height 35 mm		LINE ^{PLUS} ACCENT 50 Drain sealing water height 50 mm	
			Installation height	Item number**	Installation height	Item number**
800	1,200	55	120	LP480120EA35XXX	135	LP480120EA50XXX
900	900	50	115	LP49090EA35XXX	130	LP49090EA50XXX
900	1,000	50	115	LP490100EA35XXX	130	LP490100EA50XXX
900	1,100	55	120	LP490110EA35XXX	135	LP490110EA50XXX
900	1,200	55	120	LP490120EA35XXX	135	LP490120EA50XXX
900	1,300	60	125	LP490130EA35XXX	140	LP490130EA50XXX
900	1,400	60	125	LP490140EA35XXX	140	LP490140EA50XXX
900	1,500	60	125	LP490150EA35XXX	140	LP490150EA50XXX
900	1,600	65	130	LP490160EA35XXX	145	LP490160EA50XXX
900	1,700	65	130	LP490170EA35XXX	145	LP490170EA50XXX
900	1,800	70	130	LP490180EA35XXX	145	LP490180EA50XXX
1,000	1,000	50	115	LP4100100EA35XXX	130	LP4100100EA50XXX
1,000	1,200	55	120	LP4100120EA35XXX	135	LP4100120EA50XXX
1,000	1,300	60	125	LP4100130EA35XXX	140	LP4100130EA50XXX
1,000	1,400	60	125	LP4100140EA35XXX	140	LP4100140EA50XXX
1,000	1,500	60	125	LP4100150EA35XXX	140	LP4100150EA50XXX
1,000	1,800	70	135	LP4100180EA35XXX	150	LP4100180EA50XXX
1,200	1,000	50	115	LP4120100EA35XXX	130	LP4120100EA50XXX
1,200	1,100	55	120	LP4120110EA35XXX	135	LP4120110EA50XXX
1,200	1,200	55	120	LP4120120EA35XXX	135	LP4120120EA50XXX
1,200	1,300	60	125	LP4120130EA35XXX	140	LP4120130EA50XXX
1,200	1,400	60	125	LP4120140EA35XXX	140	LP4120140EA50XXX

Special design

up to 1.00 m ²	LP4100EA35S0XXX	LP4100EA50S0XXX
up to 1.20 m ²	LP4120EA35S0XXX	LP4120EA50S0XXX
up to 1.45 m ²	LP4145EA35S0XXX	LP4145EA50S0XXX
up to 1.80 m ²	LP4180EA35S0XXX	LP4180EA50S0XXX
up to 2.25 m ²	LP4225EA35S0XXX	LP4225EA50S0XXX

Assembly accessories

MULTISTAR® 2K mounting foam*
(12x 400 ml cartridges in each box)


SH 30070

Assembly adhesive*
310 ml cartridge

SH 32350


* Note! Please observe the shelf life (separate information on the packaging).
Installation materials are generally excluded from returns.

Floor drains




Horizontal drain as per DIN 274
Sealing water height 50 mm
Drainage capacity 70 l/min

Included in
LINE^{PLUS} ACCENT 50
delivery



Horizontal drain
Sealing water height 35 mm
Drainage capacity 55 l/min

Included in
LINE^{PLUS} ACCENT 35
delivery




Vertical drain as per DIN 274
Sealing water height 50 mm
Drainage capacity 125 l/min
Core drill hole Ø 130 mm

optional
please specify when ordering!
(horizontal drain not included)



Download PDF
Installation instructions
EBA40508

Subject to technical changes!
Updated 4/2018 Drawings not to scale



** xxx = Surface (e.g. LP480120EA50008 = LINE^{PLUS} PURE 50, slope on one side 800 x 1200 mm in LIGHT GREY)

BIANCO WHITE = 001

CARAMEL = 003

GRAPHITE = 005

DARK GREY = 007

CREAM = 002

DARK BROWN = 004

LIGHT GRAPHITE = 006

LIGHT GREY = 008

Upstand and chamfer for PLAN^{PLUS} and LINE^{PLUS}


- Factory customisation made from solid surface material, in various heights
- Allows joint-free and uniform finish of the shower surface if the installation is not ground-flush
- Option for raising silicone joints so that they are not subject to permanently wet conditions
- For a slope on one side, a slope wedge can be installed joint-free by means of an upstand.

Item number


	Height of chamfer up to 50 mm	LPAB50
	Height of chamfer up to 100 mm	LPAB100
	Height of chamfer up to 170 mm	LPAB170
	Height of chamfer up to 200 mm	LPAB200
	Height of upstand up to 35 mm	LPAUF35
	Height of upstand up to 50 mm	LPAUF50
	Height of upstand LINE up to 50 mm	LPAUFLINE
	The height of the upstand depends on the slope section"	

At least one linear metre is calculated for upstand or chamfer.
 Shower board + upstand or chamfer = final price
 Upstand and chamber is possible on all four sides of the element.
 When ordering please specify variant!


Additional heights available on request




Chamfer



Upstand with attached fibreglass/wall tile



Upstand with overlaid fibreglass/wall tile



Drawings not to scale

MULTISTAR® VISION

MODULES OF BATHROOM DESIGN WITH TRAY MADE OF SOLID SURFACE MATERIAL



Joint-free storage surfaces

The SCHEDEL MULTISTAR VISION^{PLUS} tray made of solid surface material in BIANCO WHITE forms a clean, joint-free finish on the bath modules. 200 mm wide, it stands out easily and makes profiles unnecessary. A smooth, joint-free and easy to clean surface is the ideal place for useful bath accessories and decorative details. If you like the

material mix, you will love the SCHEDEL VISION^{PLUS} series: the SCHEDEL modules are especially appealing with the solid surface PLUSboxes in combination with the SCHEDEL VISION^{PLUS} glass laminate surfaces. The high-quality surfaces are offered in an assortment of solid colours and currently in four trend decors. Thus, the finished surfaces form a recurrent style element in contemporary bathroom planning, from the shower area over the bathtub design to the toilet area.



+49 (0)3745/ 745-0
For service and support,
turn to the SCHEDEL
team.



More information about the
products can be found at:
[schedel-badinnovation.de/
produkte-badgestaltung](http://schedel-badinnovation.de/produkte-badgestaltung)

	Length	Width	Item number
Tray for VISION bath modules in BIANCO WHITE	selectable	200 mm	ABDECKMW



Half-height bathtub add-on
module
Item No. VISION0001
Surface area tray 1670 x 175 mm
Surface area of solid surface
material
1682.5 x 200 mm
(Length freely selectable)



Attachment module separation wall for
emco asis
Item No. VISION0058
Surface area tray 800 x 175 mm
Surface area of solid surface material
812.5 x 200 mm
(Length freely selectable)

MULTISTAR® VISION PLUSbox

WALL NICHE MADE OF SOLID SURFACE MATERIAL



PLUSbox PERFECT DUO – SAFETY and Assembly Assistance




The SCHEDEL MULTISTAR® VISION PLUSbox is a joint-free solid surface niche in BIANCO WHITE.

The elements are adapted to the niche dimensions of the SCHEDEL bath modules, but can also be used in drywall.

If the PLUSbox is intended for installation in a drywall, the flush-mounted base plate included in the delivery serves as an assembly aid. The waterproofing of the transitions to the wall is carried out by means of the sealing collar included.

Special designs are always possible.

The SCHEDEL MULTISTAR® VISION PLUSbox is available with either a 15 mm wide edge or frame-free. Depending on your preference, the frame-free version can be mounted protruding from or flush with the wall or recess in the SCHEDEL MULTISTAR® VISION bath module.




i +49 (0)3745/ 745-0
For service and support please turn to the SCHEDEL team.

www More information about the products can be found at: schedel-badinnovation.de/produkte-badgestaltung

PLUSbox, frame-free

PLUSbox can be mounted protruding from or flush with the wall




Dimensions in mm
Item number

PLUSbox, frame-free
in BIANCO WHITE (colour 001)
including waterproofed flush-mounted base plate
and sealing collar for drywall

	Length	Width	Depth	
	300	200	120	BOX3020
	300	300	120	BOX3030
	300	600	120	BOX3060
	300	800	120	BOX3080
	300	1000	120	BOX30100
	200	1430	120	BOX20143
	200	1530	120	BOX20153

PLUSbox with frame

Frame obscures the cutting edge of the wall tile



PLUSbox with frame, 15 mm
in BIANCO WHITE (colour 001)
including waterproofed flush-mounted base plate
and sealing collar for drywall

	Length	Width	Depth	Dimensions in mm Item number
	300	200	120	BOX3020MR
	300	300	120	BOX3030MR
	300	600	120	BOX3060MR
	300	800	120	BOX3080MR
	300	1000	120	BOX30100MR
	200	1430	120	BOX20143MR
	200	1530	120	BOX20153MR

MULTISTAR® VISION^{PLUS} glass laminate

NEW DECORS IN HIGH GLOSS LOOK



Illustration shows glass laminate in RETRO



4 NEW DECORS IN HIGH GLOSS LOOK

Joint-free walls in high-gloss glass look complete the individual bathroom design. Anodised Aluminium profiles ensure a clean connection between the VISION^{PLUS} glass laminate panels or adjacent surfaces. However, SCHEDEL bath modules can also be provided with a simple and elegant surface using thin sheets.




SCHEDEL PLUSES - PRODUCT ADVANTAGES

- High-quality glass laminate surface, 4 mm, in four new decors
- Easy care with few joints
- Non-porous, hygienic surface
- Easy to clean with water and microfibre cloth
- Scratch and abrasion resistant; unbreakable
- Low weight
- Workable with woodworking tools
- Assembly service on request

 +49 (0)3745/ 745-0
For service and support, turn to the SCHEDEL team.

 More information about the products can be found at:
schedel-badinnovation.de/produkte-badgestaltung

MULTISTAR® VISION^{PLUS} surfaces made of glass laminate

		Width*	Depth*	Thickness	Dimensions in mm Item number
		2,795	1,295	4	VPCONCHG
	CONCRETE	2,500	1,000	4	VPCONCHGZU
		2,795	1,295	4	VPVINTHG
	VINTAGE	2,500	1,000	4	VPVINTHGZU
		2,795	1,295	4	VPRETROHG
	RETRO	2,500	1,000	4	VPRETROHGZU
		2,795	1,295	4	VPWOODHG
	WOODEN	2,500	1,000	4	VPWOODHGZU
	Surcharge for each additional cut for 1x length and 1x width (per plate)**				VPZUSCHNITT
	Surcharge for drill holes**/*** (up to 4 pieces)				VPBOHRUNG
	Corner profile, outside - 2800 mm long				VISION0060
Assembly by manufacturer's customer service		Assembly includes: - Application of panels - 1 x section pre-cut in length and width - Up to 4 drill holes/cut-outs Not included: - Compensation of tolerances > 15 mm - Assembly or disassembly of accessories shower enclosures or sanitary ware			MONTAGEVP

* Dimensions are gross dimensions incl. production-related dimensional tolerances (+/- 5 mm)

** Design as per confirmed customer drawing / measurements

Prices incl. 1x cut width / length
Assembly service available on request

MULTISTAR® VISION^{PLUS} glass laminate

FIBREGLOSS FOR INDIVIDUAL BATHTUB DESIGN





Joint-free and visually appealing

Die SCHEDEL MULTISTAR® VISION^{PLUS} fibreglass surface can also be used as bathtub cladding. The panels are available in the new decors in high-gloss look as well as in the well-known UNI colours in matt or high-gloss. The joint-free, simple surface on the bathtub is ideal for a modern, trend style of bathroom furnishings. Matt aluminium profiles form a clean finish at the edges.

SCHEDEL PLUS - PRODUCT ADVANTAGES

- Bathtub supports are dimensionally designed so that the fibreglass panels can be mounted beneath the rim of the bathtub.
- Joint-free and therefore easy to clean
- Visually appealing



 +49 (0)3745/ 745-0
For service and support,
turn to the SCHEDEL
team.

 More information about the
products can be found at:
[schedel-badinnovation.de/
produkte-badgestaltung](http://schedel-badinnovation.de/produkte-badgestaltung)



Contact persons for internal and external services Germany

Position	Location	Contact	Phone/Mobile	Fax
NORTH/WEST sales region				
North/West Sales Manager	Holzminden	<i>Jochen Finkmann</i> jochen.finkmann@schedel-gmbh.de	+49 (0) (5531) 9909 152 +49 (0) (172) 3491 803	+49 (0) (5531) 9909 154
Agency	Norderstedt	<i>Peter Lippe e. K.</i> peterlippe@t-online.de	+49 (0) (40) 5225 020	+49 (0) (40) 5225 000
Commercial and Technical Sales	Weyhe	<i>Rainer Wallenssus</i> rainer.wallenssus@schedel-gmbh.de	+49 (0) (4203) 4370 467 +49 (0) (172) 3491 804	+49 (0) (4203) 4370 468
Technical Sales	Nordkirchen	<i>Franz-Josef Dornhege</i> franz.j.dornhege@schedel-gmbh.de	+49 (0) (2596) 937 817 +49 (0) (172) 3491 800	+49 (0) (2596) 938 778
Commercial and Technical Sales	Reichshof	<i>Martin Krist</i> martin.krist@schedel-gmbh.de	+49 (0) (02297) 9097 712 +49 (0) (0151) 1622 9381	+49 (0) (2297) 9097 273
Internal Sales	Falkenstein	<i>Nadine Kölbel</i> nadine.koelbel@schedel-gmbh.de	+49 (0) (3745) 745-141	+49 (0) (3745) 745-161
Internal sales	Falkenstein	<i>Sylvia Schraps</i> sylvia.schraps@schedel-gmbh.de	+49 (0) (3745) 745-142	+49 (0) (3745) 745-161
Internal sales	Falkenstein	<i>Tabea Keidel</i> tabea.keidel@schedel-gmbh.de	+49 (0) (3745) 745-188	+49 (0) (3745) 745-161
Internal sales	Falkenstein	<i>Sara Böhm</i> sara.boehm@schedel-gmbh.de	+49 (0) (3745) 745-127	+49 (0) (3745) 745-161
EAST sales region				
East Sales Manager	Glashütte	<i>Sieghart Bohacek</i> sieghart.bohacek@schedel-gmbh.de	+49 (0) (3 50 53) 32 179 +49 (0) (172) 3491 801	+49 (0) (35053) 32 260
Agency	Norderstedt	<i>Peter Lippe e. K.</i> peterlippe@t-online.de	+49 (0) (40) 5225 020	+49 (0) (40) 5225 000
Commercial and Technical Sales	Berlin	<i>Michael Künne</i> michael.kuenne@schedel-gmbh.de	+49 (0)(030) 41 47 61 40 +49 (0) (0151) 16 229 376	+49 (0) (030) 41 47 61 41
Technical Sales	Schkeuditz	<i>Stefan Schwarzer</i> stefan.schwarzer@schedel-gmbh.de	+49 (0) (34207) 409 890 +49 (0) (175) 7 234 895	+49 (0) (34207) 409 923
Internal sales	Falkenstein	<i>Mandy Feige</i> mandy.feige@schedel-gmbh.de	+49 (0) (3745) 745-153	+49 (0) (3745) 745-162
Internal Sales	Falkenstein	<i>Nadja Helbig</i> nadja.helbig@schedel-gmbh.de	+49 (0) (3745) 745-120	+49 (0) (3745) 745-162
Internal sales	Falkenstein	<i>Katja Bernhard</i> katja.bernhard@schedel-gmbh.de	+49 (0) (3745) 745-126	+49 (0) (3745) 745-162
SOUTH sales region				
Commercial and Technical Sales	Bad Kreuznach	<i>Joachim Pfaff</i> joachim.pfaff@schedel-gmbh.de	+49 (0) (671) 79 656 440 +49 (0) (151) 46 150 229	+49 (0) (671) 79 656 444
Commercial and Technical Sales	Quierschied	<i>Sven Bost</i> sven.bost@schedel-gmbh.de	+49 (0) (6897) 1716 703 +49 (0) (151) 16 229 372	
Commercial and Technical Sales	Nagold	<i>Daniel Maier</i> daniel.maier@schedel-gmbh.de	+49 (0) (7452) 816 763 +49 (0) (151) 18 837 211	+49 (0) (7452) 817 121
Commercial and Technical Sales	Bobingen	<i>Andreas Seidl</i> andreas.seidl@schedel-gmbh.de	+49 (0) (8234) 8009 983 +49 (0) (151) 14 082 261	+49 (0) (8234) 8009 984
Commercial and Technical Sales	Andechs	<i>Marc Tasören</i> marc.tasoeren@schedel-gmbh.de	+49 (0) (8152) 7944 116 +49 (0) (151) 16 229 379	+49 (0) (8152) 9989 681
Internal sales	Falkenstein	<i>Jana Döhne</i> jana.doehne@schedel-gmbh.de	+49 (0) (3745) 745-112	+49 (0) (3745) 745-163
Internal sales	Falkenstein	<i>Maxi Stahl</i> maxi.stahl@schedel-gmbh.de	+49 (0) (3745) 745-107	+49 (0) (3745) 745-163
Internal sales	Falkenstein	<i>Bianca Keydel</i> bianca.keydel@schedel-gmbh.de	+49 (0) (3745) 745-155	+49 (0) (3745) 745-163
Technical Consulting				
Bathtub support walk-in shower elements	Falkenstein	<i>Frank Voigtmann</i> frank.voigtmann@schedel-gmbh.de	+49 (0) (3745) 745-235	+49 (0) (3745) 5351
Bathtub support walk-in shower elements	Falkenstein	<i>Ralf Kaiser</i> ralf.kaiser@schedel-gmbh.de	+49 (0) (3745) 745-220	+49 (0) (3745) 5351
Bathtub support walk-in shower elements	Falkenstein	<i>Ronny Kunz</i> ronny.kunz@schedel-gmbh.de	+49 (0) (03745) 745-212	+49 (0) (3745) 5351
Steam cabins/Spa zones Shower unit solutions	Falkenstein	<i>Jörg Werner</i> joerg.werner@schedel-gmbh.de	+49 (0) (3745) 745-202	+49 (0) (3745) 5351
Steam cabins/Spa zones Shower unit solutions	Falkenstein	<i>Rainer Mussack</i> rainer.mussack@schedel-gmbh.de	+49 (0) (3745) 745-209	+49 (0) (3745) 5351



Schedel
Gruppe

Oelsnitzer Strasse 55
08223 Falkenstein, Germany
info@schedel-gmbh.de
www.schedel-gmbh.de
TEL +49(0)3745/745-0

FAX Team NORTH /WEST	+ 49 (0) 03 7 4 5 / 7 4 5 - 1 6 1
FAX Team EAST	+ 49 (0) 03 7 4 5 / 7 4 5 - 1 6 2
FAX Team SOUTH	+ 49 (0) 03 7 4 5 / 7 4 5 - 1 6 3